



DELARO[®]
Complete
 458 SC Fungicide

Soybean White Mold Risk Forecast

For period of July 17 – Aug 15, Date of Issue: July 18, 2021

One-Month Weather Outlook

Over the next 30 days areas north of I-80 will see warmer than normal temperatures, while south of I-80 temperatures will be in the normal range. Normal rainfall is expected except in the Ohio River Valley with higher than normal precipitation predicted. During the next two weeks temperatures will be above average for the entire Corn Belt. Precipitation will be below normal west of the Mississippi River and normal or higher east of the River.

White Mold Risk Summary

The risk of soybean white mold is moderate in WI, MI, and eastern MN.


Next two-week risk interpretation

The conditions are moderately favorable for white mold in the northeastern Great Lakes region for the next two weeks. In region of yellow, scout for white mold mushrooms in fields with a closing canopy. The white mold risk is higher than moderate for fields planted in narrow rows or for fields that have a history of the disease.




ONE-MONTH RISK MAP

WHAT TO DO?	
HIGH	Treat flowering fields that have a closing canopy and a history of white mold infections
MODERATE	Scout fields and weigh disease risk factors
LOW OR VERY LOW	Monitor risk forecasts



Risk Level



DISCLAIMER

The forecast herein is made with state of the art computer modeling technology. However, the models do not guarantee accuracy or certainty of information because of the uncertainty in climate forecast which is used in disease modeling and because of environmental variation. We specifically disclaim all warranties expressed or implied with respect to the use of this information. **ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.** Bayer, Bayer Cross and Delaro[®] are registered trademarks of Bayer Group. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at www.BayerCropScience.us. Bayer CropScience LP, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2020 Bayer Group. All rights reserved.



RESTRICTED



Soybean Brown Spot Risk Forecast

For period of July 17 – Aug 15, Date of Issue: July 18, 2021

One-Month Weather Outlook

Over the next 30 days areas north of I-80 will see warmer than normal temperatures, while south of I-80 temperatures will be in the normal range. Normal rainfall is expected except in the Ohio River Valley with higher than normal precipitation predicted. During the next two weeks temperatures will be above average for the entire Corn Belt. Precipitation will be below normal west of the Mississippi River and normal or higher east of the River.

Brown Spot Risk Summary


The risk of soybean brown spot is moderate to high in the Corn Belt.



Next two-week risk interpretation

During the next two weeks conditions are moderately or highly favorable for the development of this disease in the Corn Belt. Scout fields, especially fields with a history of severe brown spot infections. Consider spraying where brown spot keeps moving up in the canopy. Pay particular attention to no-till and late-planted beans.

ONE-MONTH RISK MAP



WHAT TO DO?	
HIGH	Consider treatment, especially susceptible cultivars
MODERATE	Scout fields and weigh disease risk factors
LOW OR VERY LOW	Monitor risk forecasts

DISCLAIMER

The forecast herein is made with state of the art computer modeling technology. However, the models do not guarantee accuracy or certainty of information because of the uncertainty in climate forecast which is used in disease modeling and because of environmental variation. We specifically disclaim all warranties expressed or implied with respect to the use of this information. **ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.** Bayer, Bayer Cross and Delaro® are registered trademarks of Bayer Group. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at www.BayerCropScience.us. Bayer CropScience LP, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2020 Bayer Group. All rights reserved.



RESTRICTED



Soybean Frogeye Leaf Spot Risk Forecast

For period of July 17 – Aug 15, Date of Issue: July 18, 2021

One-Month Weather Outlook

Over the next 30 days areas north of I-80 will see warmer than normal temperatures, while south of I-80 temperatures will be in the normal range. Normal rainfall is expected except in the Ohio River Valley with higher than normal precipitation predicted. During the next two weeks temperatures will be above average for the entire Corn Belt. Precipitation will be below normal west of the Mississippi River and normal or higher east of the River.



Frogeye Leaf Spot Risk Summary


The risk of FLS remains moderate to high for the southern areas of the Corn Belt.

Next two-week risk interpretation

During the next two weeks weather conditions are favorable (orange) or moderately favorable (yellow) for FLS. In areas of orange, consider spraying susceptible cultivars. In regions of yellow, scout susceptible cultivars and spray if FLS is found on the upper leaves, especially in fields that had FLS in previous seasons.

ONE-MONTH RISK MAP

WHAT TO DO?	
HIGH	Consider treatment, especially susceptible cultivars
MODERATE	Scout fields and weigh disease risk factors
LOW OR VERY LOW	Monitor risk forecasts



DISCLAIMER

The forecast herein is made with state of the art computer modeling technology. However, the models do not guarantee accuracy or certainty of information because of the uncertainty in climate forecast which is used in disease modeling and because of environmental variation. We specifically disclaim all warranties expressed or implied with respect to the use of this information. **ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.** Bayer, Bayer Cross and Delaro® are registered trademarks of Bayer Group. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at www.BayerCropScience.us. Bayer CropScience LP, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2020 Bayer Group. All rights reserved.

Risk Level

